

Multi-angle Band Saw

—SKC-MA315B—



Description:

Usage:

- 1. This machine is used for pipe diameter \leq 315 mm, which is used to cut elbow, tee, cross sharp fitting in the workshop. is designed for PE, PPR plastic pipes;
- 2. Used in producing pipe fittings or blanking, cutting tubes according to the set angle and size, in order to reduce the waste pipe, and improve the efficiency of the pipe fitting in the later producing;
- 3. This machine can be added the special liners to better gripping pipes.

Features:

- 1. Cutting feed from hydraulic power source, to ensure the stable and precision pressure was provided in the process of cutting. At the same time, the hydraulic system also adopts the advanced buffer design to make the machine running smoothly, without any impact;
- 2. Saw blade speed with frequency control of motor speed, to extend the service life of saw blade effectively. If the blade is broken, the machine with the functions of automatic detection and automatic stop, to guarantee the safety of operator;
- 3. Max Cutting Angle 0-67.5 °. Angle adjustment is convenient, easy and fast;
- 4. Cutting speed adopts hydraulic stepless speed change, and was equipped with a fast forward and working speed switch button;
- Manual gearbox clamping, more reliable and easier (additive with electric 5. clamping);
- 6. Can be mounted to the tube electric feeding device;
- 7. Automatic angle adjustment positioning device can be mounted to the system; Mac
- 8. Can be mounted to the PLC control system;
- 9. The machine comply with 98/37 / EC and 73/23 / EEC standards. Plastic

Additive projects:

- 1. The blade quick positioning device
- All specifications, high precision tubing internal and external liners 2.
- 3. Electric clamping device
- 4. Tube electric feeding device
- 5. Automatic positioning device
- 6. The PLC programmable control system

Major Parameter:

Equipment mode NO.	SKC-MA315B
Applied materials Welded pipe diameter ranges	PE、 PP 、 PVDF、 Corrugated pipe (configuration may be increased), heat preservation (need to modify the configuration)
Welded pipe diameter ranges	≤DN315 mm
The cutting Angle	0-67.5°
Working voltage	AC380V±10 % ,50Hz (Special voltage can be customized)
The total power	2.2 Kw
Band saw cutting speed	0-250m/min
Cutting feed speed	Adjustable
net weight, Kilo	1800Kg
Indexemption of the second sec	